




8

7

6

5

4

3

2

1

H

G

F

E

D

C

B

A

H

G

F


E


D

C

B

A



8	7	6	5	4	3	2	1																																		
SPECIFICATIONS					Product number: IN-2204																																				
This equipment is considered as part of a personal fall arrest system (PFAS).																																									
It is only to be used in conjunction with a personal fall arrest system that limits the maximum arrest force (MAF) to 6,0 kN.																																									
<table><tr><td>Working load limit (WLL) :</td><td>164 kg</td><td>(360 lb)</td></tr><tr><td>Minimum breaking strength :</td><td>16,0 kN</td><td>(3 600 lbf)</td></tr><tr><td>Maximum working moment :</td><td>1,0 kN•m</td><td>(8 640 lbf•in)</td></tr><tr><td>Maximum design moment :</td><td>9,8 kN•m</td><td>(86 400 lbf•in)</td></tr></table>								Working load limit (WLL) :	164 kg	(360 lb)	Minimum breaking strength :	16,0 kN	(3 600 lbf)	Maximum working moment :	1,0 kN•m	(8 640 lbf•in)	Maximum design moment :	9,8 kN•m	(86 400 lbf•in)																						
Working load limit (WLL) :	164 kg	(360 lb)																																							
Minimum breaking strength :	16,0 kN	(3 600 lbf)																																							
Maximum working moment :	1,0 kN•m	(8 640 lbf•in)																																							
Maximum design moment :	9,8 kN•m	(86 400 lbf•in)																																							
Note: When attached to a vehicle, the load on the axle must meet or exceed the required load :1,136 Kgf (2 500 lbf).																																									
STANDARDS																																									
<table><tr><td>Name</td><td>Classification</td><td>Year</td><td>Users</td></tr><tr><td>ANSI Z359.1 (R1999)</td><td></td><td>2007</td><td>1</td></tr><tr><td>CSA Z259.2.1</td><td></td><td>1998</td><td>1</td></tr><tr><td>OSHA 1910.66</td><td>App C</td><td></td><td>1</td></tr><tr><td>EN 795</td><td>A , B , E</td><td>2012</td><td>1</td></tr><tr><td>TS 16415</td><td></td><td>2013</td><td>2</td></tr></table>								Name	Classification	Year	Users	ANSI Z359.1 (R1999)		2007	1	CSA Z259.2.1		1998	1	OSHA 1910.66	App C		1	EN 795	A , B , E	2012	1	TS 16415		2013	2										
Name	Classification	Year	Users																																						
ANSI Z359.1 (R1999)		2007	1																																						
CSA Z259.2.1		1998	1																																						
OSHA 1910.66	App C		1																																						
EN 795	A , B , E	2012	1																																						
TS 16415		2013	2																																						
MATERIAL AND CONSTRUCTION																																									
<table><tr><td>Structure :</td><td>Aluminum 6061-T6</td></tr><tr><td>Welding certification :</td><td>CSA W47,2M</td></tr><tr><td>Surface finish :</td><td>Yellow XTIRPA</td></tr></table>								Structure :	Aluminum 6061-T6	Welding certification :	CSA W47,2M	Surface finish :	Yellow XTIRPA																												
Structure :	Aluminum 6061-T6																																								
Welding certification :	CSA W47,2M																																								
Surface finish :	Yellow XTIRPA																																								
RESTRICTIONS																																									
This equipment is to be used only with products approved by Innova Public Utility Products Inc.																																									
This equipment must always be operated on a level surface.																																									
Ensure that all hardwares and connecting pins are properly installed before use.																																									
In the occurence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse.																																									
					<table><tr><td colspan="2">PAT.NO.:</td><td colspan="2"></td></tr><tr><td colspan="4">PRODUITS DE SERVICE PUBLICS INNOVA INC. INNOVA PUBLIC UTILITY PRODUCTS INC.</td></tr><tr><td colspan="4">© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC., (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbidden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed in any way either without the prior written approval of INNOVA».</td></tr><tr><td colspan="2">WEIGHT:</td><td colspan="2">TITLE:</td></tr><tr><td colspan="2">45.0 Lb</td><td colspan="2">76mm (3") Hitch Mount</td></tr><tr><td colspan="2">20.4 Kg</td><td colspan="2">With 1524mm (60") Stabilizer</td></tr><tr><td>COLOR:</td><td>Material:</td><td>SHEET(S):</td><td>PROJET:</td><td>Rev.</td></tr><tr><td>Yellow XTIRPA</td><td>Aluminum</td><td>3 / 4</td><td>IN-2204</td><td>01</td></tr></table>			PAT.NO.:				PRODUITS DE SERVICE PUBLICS INNOVA INC. INNOVA PUBLIC UTILITY PRODUCTS INC.				© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC., (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbidden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed in any way either without the prior written approval of INNOVA».				WEIGHT:		TITLE:		45.0 Lb		76mm (3") Hitch Mount		20.4 Kg		With 1524mm (60") Stabilizer		COLOR:	Material:	SHEET(S):	PROJET:	Rev.	Yellow XTIRPA	Aluminum	3 / 4	IN-2204	01
PAT.NO.:																																									
PRODUITS DE SERVICE PUBLICS INNOVA INC. INNOVA PUBLIC UTILITY PRODUCTS INC.																																									
© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC., (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbidden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed in any way either without the prior written approval of INNOVA».																																									
WEIGHT:		TITLE:																																							
45.0 Lb		76mm (3") Hitch Mount																																							
20.4 Kg		With 1524mm (60") Stabilizer																																							
COLOR:	Material:	SHEET(S):	PROJET:	Rev.																																					
Yellow XTIRPA	Aluminum	3 / 4	IN-2204	01																																					
8	7	6	5	4	3	2	1																																		

