









PAT.NO.:				
PRODUITS DE SERVICE PUBLICS INNOVA INC. INNOVA PUBLIC UTILITY PRODUCTS INC.				
© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC., (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbidden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed in any way either without the prior written approval of INNOVA».				
WEIGHT:	TITLE:			
73.0 Lb	Universal T Base for 102mm (4") Mast			
33.1 Kg				
COLOR:	Material:	SHEET(S):	PROJET:	Rev.
Yellow XTIRPA	Aluminum	1 / 4	IN-2305	04



	8	7	6	5	4	3	2	1	
	SPECIFICATIONS					Product number: IN-2305			
H	This equipment is considered as part of a personal fall arrest system (PFAS).								H
	It is only to be used in conjunction with a personal fall arrest system that limits the maximum arrest force (MAF) to 6,0 kN.								
G	Working load limit (WLL) :		164 kg	(360 lb)				G	
	Minimum breaking strength :		16,0 kN	(3 600 lbf)					
	Maximum working moment :		2,0 kN•m	(17 280 lbf•in)					
	Maximum design moment :		19,5 kN•m	(172 800 lbf•in)					
F	Note: When attached to a vehicule,see appropriate T-Base extension.								F
	STANDARDS								
	Name	Classification	Year	Users					
E	AS / NZS 5532	Freefall Arrest	2013	1				E	
	ANSI Z359.18	D	2017	1					
	CSA Z259.15	AD	2022	1					
	OSHA 1910.140			1					
	OSHA 1926.502			1					
	EN 795	A,B,E	2012	1					
D	TS 16415		2013	3				D	
	MATERIAL AND CONSTRUCTION								
	Structure :	Aluminum 6061-T6							
	Welding certification :	CSA W47,2M							
	Surface finish :	Yellow XTIRPA							
C	RESTRICTIONS								C
	This equipment is to be used only with products approved by Innova Public Utility Products Inc.								
	This equipment must always be operated on a level surface.								
B	Ensure that all hardwares and connecting pins are properly installed before use.								B
	In the occurence of a fall or that the safety of the equipment is in doubt, the equipment must be immediately removed from service and inspected by qualified personnel before reuse.								
A									A
	8	7	6	5	4	3	2	1	



PAT.NO.:				
PRODUITS DE SERVICE PUBLICS INNOVA INC. INNOVA PUBLIC UTILITY PRODUCTS INC.				
© 9105-0732 QUEBEC INC. and under exclusive license to INNOVA PUBLIC UTILITY PRODUCTS INC., (hereafter « INNOVA »). All rights reserved. Protected under the Copyright Act of Canada and international treaties and agreements regarding copyrights. Violators are subject to prosecution and other legal recourses for infringement. Any reproduction, adaptation or other use or disclosure whatsoever, in totality or in part, and in any form or by any means whatsoever, strictly forbidden and requires the prior written approval of INNOVA. All data is the exclusive property of 9105-0732 QUEBEC INC. and under exclusive license to INNOVA and cannot be used nor disclosed in any way either without the prior written approval of INNOVA».				
WEIGHT:	TITLE:			
73.0 Lb	Universal T Base			
33.1 Kg	for 102mm (4") Mast			
COLOR:	Material:	SHEET(S):	PROJET:	Rev.
Yellow XTIRPA	Aluminum	3 / 4	IN-2305	04

